



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/739,589	12/15/2000	Steven Teig	SPLX.P0014	3540
48947	7590	12/19/2005	EXAMINER	
STATTLER, JOHANSEN, AND ADELI LLP 1875 CENTURY PARK EAST SUITE 1360 CENTURY CITY, CA 90067			THOMPSON, ANNETTE M	
			ART UNIT	PAPER NUMBER
			2825	

DATE MAILED: 12/19/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

DETAILED ACTION

Terminal Disclaimer

1. The terminal disclaimer filed on 26 April 2005 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of Patent Number 09/739,580 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Conclusion

2. Any inquiry concerning this communication or earlier communications should be directed to Examiner A.M. Thompson whose telephone number is (571) 272-1909. The Examiner can usually be reached Monday thru Friday from 8:00 a.m. to 4:30 p.m..

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


3. Responses to this action should be mailed to the appropriate mail stop:

Mail Stop _____
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

or faxed to:

Art Unit: 2825

(571) 273-8300, (for all **OFFICIAL** communications intended for entry)



A. M. THOMPSON
Primary Examiner
Technology Center 2800